

Little Egret. Spring. Adult (10-III)

LITTLE EGRET (Egretta garzetta)

IDENTIFICATION

55-65 cm. Wholly white plumage; dark bill; black legs with yellow feet; in **breeding** plumage with long ornamental feathers on chest, mantle, scapulars and head.



Little Egret: pattern of ornamental feathers on the nape and legs



SIMILAR SPECIES

Recalls a **Cattle Egret**, which has buff crown, yellow bill and legs with similar colour than feet. **Great Egret** is a bigger heron (85-102 cm).



Cattle Egret: non breeding plumage.

SEXING

Plumage of both sexes alike.

AGEING

4 types of age can be recognized:

Juvenile similar to adult but without ornamental feathers; upperparts and scapulars with short and rounded feathers; brown bill; bare skin on face grey-blue; legs green-yellow; iris grey-blue; fresh plumaje with only one generation of wing feathers.

2nd year spring with **juvenile** flight feathers and tail; mantle and scapulars with ornamental feathers less developed than **adults**; breast feathers only slightly elongated and lanceolated; feet green-yellow; iris dull yellow; bare skin on face grey-blue.

Adult in spring with long neck and wing plumes; with two ornamental feathers well developed on nape; black bill; iris yellow; bare skin on face grey with trace of yellow toward the eye; legs black; feet bright yellow. In autumn with ornamental feathers on upperparts shorter and less numerous; lacking the long ornamental feathers on nape.

MOULT

Complete **postbreeding** moult; starting in breeding areas and finished in winter quarters. Partial **postjuvenile** moult confined to body feathers, usually in wintering quarters. Both types of age have a **prebreeding** moult reduced to ornamental feathers.

PHENOLOGY




STATUS IN ARAGON

Summer visitor, with scarce wintering birds. Breeds in some places of the Ebro river being more common on passage.



Little Egret. Autumn. Adult (16-XII)



Little Egret. 2nd year spring ()



Little Egret. Juvenile ()




Little Egret. Spring. Adult: pattern of head and ornamental feathers (10-III)



Little Egret. Autumn. Adult: pattern of head and ornamental feathers (16-XII)



Little Egret. Autumn. 2nd year spring: pattern of head and ornamental feathers ()



Little Egret. Juvenile: pattern of head and ornamental feathers ()





Little Egret. Adult. Crown pattern: left in spring (10-III); right in autumn (16-XII)






Little Egret. Crown pattern: left 2nd year spring (); right juvenile ()





Little Egret. Adult. Nape pattern: left in spring (10-III); right in autumn (16-XII)





Little Egret. Nape pattern: left 2nd year spring (); right juvenile ()





Little Egret. Adult. Breast pattern: left in spring (10-III); right in autumn (16-XII)






Little Egret. Breast pattern: left 2nd year spring (); right juvenile ()





Little Egret. Adult. Upperparts pattern: left in spring (10-III); right in autumn (16-XII)



Little Egret. Upperparts pattern: left 2nd year spring (); right juvenile ()





Little Egret. Adult. Tail pattern: left in spring (10-III); right in autumn (16-XII)






Little Egret. Tail pattern: left 2nd year spring (); right juvenile ()






Little Egret. Adult. Pattern of tertials and upperpart ornamental feathers: left in spring (10-III); right in autumn (16-XII)




Little Egret. Pattern of tertials and upperpart ornamental feathers: left 2nd year spring (); right juvenile ()



Little Egret. Adult: pattern of primary coverts (16-XII)



Little Egret. 2nd eyar spring: pattern of primary coverts ()




Little Egret. Juvenile: pattern of primary coverts



Little Egret. Spring. Adult: pattern of primaries (10-III)




Little Egret. Autumn. Adult: pattern of primaries (16-XII)




Little Egret. 2nd year spring: pattern of primaries ()



Little Egret. Autumn. Adult: pattern of secondaries (16-XII)




Little Egret. Juvenile: pattern of primaries ()



Little Egret. 2nd year spring: pattern of secondaries ()



Little Egret. Spring. Adult: pattern of secondaries (10-III)





Little Egret. Juvenile: pattern of secondaries ()





Little Egret. Spring. Adult: pattern of wing (10-III)





Little Egret. Juvenile: pattern of wing ()





Little Egret. Autumn. Adult: pattern of wing (16 -XII)





Little Egret. 2nd year spring: pattern of wing ()