

**01840 Eurasian Teal** (*Anas crecca*)



Teal. Spring. Breeding plumage. Adult. Male (18-II).

**EURASIAN TEAL** (*Anas crecca*)

**IDENTIFICATION**

34-38 cm. **Male** in **winter** with chesnut head with a green patch; pale breast with blackish spots; upper-parts and flanks vermiculated grey; green and black speculum edged white. **Female** brown with white spotted; speculum similar to **male**.



Teal. Pattern of speculum.

**SIMILAR SPECIES**

**Male** with unmistakable plumage. The pattern of the speculum and the small size make differ the **female** from other brown ducks.


**SEXING**

In **breeding plumage**, **male** unmistakable with chestnut head with green band; flanks vermiculated grey; dark bill. **Female** with brown plumage; buff flanks with U-shaped pale marks; grey bill.



In **non-breeding** plumage sexes **similar** but **male** with secondaries with narrow white tips; 4th inner secondary with green speculum on all the outer vane; the innermost greater covert without pale edge; with unspotted dark bill. **Female** with secondaries with broad white tips; 4th inner secondary with green speculum only on partly of the outer vane; the innermost greater covert with pale edge; bill with dark spots.



Teal. Breeding plumage. Sexing. Pattern of head: left male; right female.



Teal. Non-breeding plumage. Sexing. Pattern of bill: left male; right female.



Teal. Sexing. Pattern of 4th secondary: left male; right female.

**AGEING/SEXING**

It is unlikely to find **juveniles** in Aragon, so only 2 age groups can be recognized:

**1st year/2nd year spring** with **juvenile** flight and tail feathers retained, which will be eroded. **Male** with the outer tertial with a quite broad black fringe on the edge; greater coverts narrow and with rounded, broad white, more or less creamy tips. **Female** with the outer tertial with a quite narrow dull black fringe on the edge; greater coverts narrow and with rounded, narrow white, more or less creamy tips.

**Adult** with fresh flight and tail feathers. **Male** with the outer tertial with a line of pearly grey, a broad line bright black and reduced pale fringe on the edge; greater coverts broad and with squared, very broad white and intensive cinnamon tips. **Female** with the outer tertial with a line of dark grey, a dull black line and a broad pale fringe on the edge, often around the tip; greater coverts narrow and with squared, narrow white, more or less creamy mottled grey tips.


**01840 Eurasian Teal** (*Anas crecca*)



Teal. Male. Ageing. Pattern of the innermost tertial: left adult; right 1st year.



Teal. Female. Ageing. Pattern of the innermost tertial: left adult; right 2nd year.



Teal. Male. Ageing. Pattern of greater coverts: left adult; right 1st year.



Teal. Female. Ageing. Pattern of greater coverts: left adult; right 1st year.

**MOULT**

Complete **postbreeding** moult acquiring **non-breeding** plumage, usually finished late September. Partial **postjuvenile** moult changing body feathers, tail and tertials, usually finished between October and November. Both age groups, from September, have a partial **prebreeding** moult acquiring **breeding** plumage.

**PHENOLOGY**

I	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII


- Summer visitor
- Resident
- Wintering
- On passage




**01840 Eurasian Teal** (*Anas crecca*)



Teal. Spring. Breeding plumage. Adult. Female (18-II).





Teal. Spring. Breeding plumage. 2nd year. Head pattern: top male (); bottom female (18-II).



Teal. Spring. Breeding plumage. 2nd year. Male ().



Teal. Spring. Breeding plumage. 2nd year. Female (18-II).






Teal. Spring. Breeding plumage. Adult. Pattern of crown and bill: left male (18-II); right female (18-II).



Teal. Spring. Breeding plumage. Adult. Head pattern: top male (18-II); bottom female (18-II).



**01840 Eurasian Teal (*Anas crecca*)**



Teal. Spring. Breeding plumage. 2nd year. Breast pattern: top male (); bottom female (18-II).

Teal. Spring. Breeding plumage. 2nd year. Pattern of crown and bill: left male (); right female (18-II).




Teal. Spring. Breeding plumage. Adult. Breast pattern: top male (18-II); bottom female (18-II).



Teal. Spring. Breeding plumage. Adult. Upperpart pattern: left male (18-II); right female (18-II).





**01840 Eurasian Teal** (*Anas crecca*)




Teal. Spring. Breeding plumage. Adult. Pattern of undertail coverts: left male (18-II); right female (18-II).

Teal. Spring. Breeding plumage. 2nd year. Upperpart pattern: left male (); right female (18-II).



Teal. Spring. Breeding plumage. 2nd year. Pattern of undertail coverts: left male (); right female (18-II).

Teal. Spring. Breeding plumage. Adult. Tail pattern: left male (18-II); right female (18-II).




Teal. Spring. Breeding plumage. Adult. Male: pattern of flank (18-II).

Teal. Spring. Breeding plumage. 2nd year. Tail pattern: left male (); right female (18-II).

**01840 Eurasian Teal** (*Anas crecca*)





Teal. Spring. Breeding plumage. Adult. Female: pattern of flank (18-II).





Teal. Spring. Breeding plumage. 2nd year. Male: pattern of flank ().



Teal. Spring. Breeding plumage. 2nd year. Female: pattern of flank (18-II).



Teal. Spring. Breeding plumage. Adult. Pattern of tertials: left male (18-II); right female (18-II).




Teal. Spring. Breeding plumage. 2nd year. Pattern of tertials: left male (); right female (18-II).



Teal. Spring. Breeding plumage. Adult. Pattern of the outermost tertial: left male (18-II); right female (18-II).






Teal. Spring. Breeding plumage. 2nd year. Pattern of the outermost tertial: left male (); right female (18-II).



Teal. Spring. Breeding plumage. Adult. Male: pattern of greater coverts (18-II).



Teal. Spring. Breeding plumage. Adult. Female: pattern of greater coverts (18-II).



Teal. Spring. Breeding plumage. 2nd year. Male: pattern of greater coverts ().




Teal. Spring. Breeding plumage. 2nd year. Female: pattern of greater coverts (18-II).



Teal. Spring. Breeding plumage. Adult. Male: pattern of primaries (18-II).




Teal. Spring. Breeding plumage. Adult. Female: pattern of primaries (18-II).





Teal. Spring. Breeding plumage. 2nd year. Male: pattern of primaries ( ).



Teal. Spring. Breeding plumage. 2nd year. Female: pattern of primaries (18-II).



Teal. Spring. Breeding plumage. Adult. Pattern of the 4th inner secondary: left male (18-II); right female (18-II).



Teal. Spring. Breeding plumage. 2nd year. Pattern of the 4th inner secondary: left male ( ); right female (18-II).




Teal. Spring. Breeding plumage. Adult. Male: pattern of secondaries (18-II).



Teal. Spring. Breeding plumage. Adult. Female: pattern of secondaries (18-II).




**01840 Eurasian Teal** (*Anas crecca*)



Teal. Spring. Breeding plumage. 2nd year. Male: pattern of secondaries ().





Teal. Spring. Breeding plumage. 2nd year. Female: pattern of secondaries (18-II).



Teal. Spring. Breeding plumage. Adult. Male: pattern of wing (18-II).



Teal. Spring. Breeding plumage. Adult. Female: pattern of wing (18-II).



Teal. Spring. Breeding plumage. 2nd year. Male: pattern of wing ().



Teal. Spring. Breeding plumage. 2nd year. Female: pattern of wing (18-II).


**01840 Eurasian Teal** (*Anas crecca*)



Teal. Summer. Non breeding plumage. Adult. Male (21-IX).




Teal. Summer. Non breeding plumage. 1st year. Female (22-IX).




Teal. Summer. Non breeding plumage. Adult. Female ().



Teal. Summer. Non breeding plumage. Adult. Head pattern: top male (21-IX); bottom female ().



Teal. Summer. Non breeding plumage. 1st year. Male (04-IX).






Teal. Summer. Non breeding plumage. 1st year. Head pattern: top male (04-IX); bottom female (22-IX).







**01840 Eurasian Teal** (*Anas crecca*)



Teal. Summer. Non breeding plumage. Adult. Breast pattern: top male (21-IX); bottom female ().



Teal. Summer. Non breeding plumage. Adult. Pattern of crown and bill: left male (21-IX); right female ().



Teal. Summer. Non breeding plumage. 1st year. Breast pattern: top male (04-IX); bottom female (22-IX).

Teal. Summer. Non breeding plumage. 1st year. Pattern of crown and bill: left male (04-IX); right female (22-IX).

**01840 Eurasian Teal** (*Anas crecca*)




Teal. Summer. Non breeding plumage. Adult. Tail pattern: left male (21-IX); right female ().

Teal. Summer. Non breeding plumage. Adult. Upper-part pattern: left male (21-IX); right female ().



Teal. Summer. Non breeding plumage. 1st year. Tail pattern: left male (04-IX); right female (22-IX).


Teal. Summer. Non breeding plumage. 1st year. Upper-part pattern: left male (04-IX); right female (22-IX).



Teal. Summer. Non breeding plumage. Adult. Pattern of undertail coverts: left male (21-IX); right female ().



**01840 Eurasian Teal** (*Anas crecca*)



Teal. Summer. Non breeding plumage. 1st year. Pattern of undertail coverts: left male (04-IX); right female (22-IX).





Teal. Summer. Non breeding plumage. 1st year. Male: pattern of flank (04-IX).




Teal. Summer. Non breeding plumage. 1st year. Female: pattern of flank (22-IX).




Teal. Summer. Non breeding plumage. Adult. Male: pattern of flank (21-IX).



Teal. Summer. Non breeding plumage. Adult. Pattern of tertials: left male (21-IX); right female (22-IX).




Teal. Summer. Non breeding plumage. Adult. Female: pattern of flank (22-IX).




Teal. Summer. Non breeding plumage. 1st year. Pattern of tertials: left male (04-IX); right female (22-IX).

**01840 Eurasian Teal** (*Anas crecca*)



Teal. Summer. Non breeding plumage. Adult. Male: pattern of greater coverts (21-IX).




Teal. Summer. Non breeding plumage. Adult. Pattern of the outermost tertial: left male (21-IX); right female ().

Teal. Summer. Non breeding plumage. Adult. Female: pattern of greater coverts ().



Teal. Summer. Non breeding plumage. 1st year. Male: pattern of greater coverts (04-IX).

Teal. Summer. Non breeding plumage. 1st year. Pattern of the outermost tertial: left male (04-IX); right female (22-IX).




Teal. Summer. Non breeding plumage. 1st year. Female: pattern of greater coverts (22-IX).



**01840 Eurasian Teal (*Anas crecca*)**



Teal. Summer. Non breeding plumage. Adult. Male: pattern of primaries (21-IX).




Teal. Summer. Non breeding plumage. Adult. Female: pattern of primaries ().





Teal. Summer. Non breeding plumage. 1st year. Male: pattern of primaries (04-IX).



Teal. Summer. Non breeding plumage. 1st year. Female: pattern of primaries (22-IX).



Teal. Summer. Non breeding plumage. Adult. Pattern of 4th inner secondary: left male (21-IX); right female ().




Teal. Summer. Non breeding plumage. 1st year. Pattern of 4th inner secondary: left male (04-IX); right female (22-IX).



Teal. Summer. Non breeding plumage. Adult. Male: pattern of secondaries (21-IX).

**01840 Eurasian Teal** (*Anas crecca*)





Teal. Summer. Non breeding plumage. Adult. Female: pattern of secondaries ().



Teal. Summer. Non breeding plumage. Adult. Male: pattern of wing (21-IX).



Teal. Summer. Non breeding plumage. 1st year. Male: pattern of secondaries (04-IX).



Teal. Summer. Non breeding plumage. 1st year. Female: pattern of secondaries (22-IX).

Teal. Summer. Non breeding plumage. Adult. Female: pattern of wing ().



Teal. Summer. Non breeding plumage. 1st year. Male: pattern of wing (04-IX).





Teal. Summer. Non breeding plumage. 1st year. Female: pattern of wing (22-IX).