

Garganey. Autumn. Juvenile. Male (28-VIII)

### **GARGANEY** (Anas querquedula)

#### **IDENTIFICACIÓN**


37-41 cm. In **breeding** plumage, **male** with large white band on the eye reaching nape; dark mottled on head and breast; grey flanks; white vent; long black and white scapulars; green speculum with poor gloss and two shite bands. **Female** with brown and mottled plumage; brown-greenish speculum; grey wing coverts; grey bill.



Garganey. Pattern of speculum and wing coverts.

#### SIMILAR SPECIES


**Male** with unmistakable plumage. The pattern of the speculum, the size and the grey bill make differ the **female** from other brown ducks.



#### **SEXING**

Male in breeding plumage unmistakable with brownish-black crown with golden cheeks; white broad supercilium which extends well down the nape; elongated scapulars stripped grey, dark green, black and white; forewing pale blue grey; speculum with light green sheen; secondaries and greater coverts with broad white tips. In non breeding plumage similar to female, but with pale blue-grey forewing and green speculum. Female with brown plumage; narrow pale supercilium; without elongated scapulars; forewing dark grey brown; speculum dull grey brown, sometimes with slight green tinge in innermost secondaries; greater coverts with narrow white tips; secondaries with white tips only on the outer vanes.


**Juveniles** can be sexed: **male** with dirty blue grey lesser and median coverts; greater coverts with broad white tips; speculum dull metallic green; secondaries with white tips. **Female** without blue tinge on lesser and median coverts; greater coverts and secondaries with narrow white or buff-white tips; speculum dull grey brown and without green gloss.





Garganey. Breeding plumage. Sexing. Pattern of head: left male; right female..







Garganey. Adult. Non-breeding plumage. Sesing. Pattern of speculum: top male; bottom female.



Garganey. Juvenile. Non-breeding plumage. Sesing. Pattern of speculum: top male; bottom female.








### AGEING

3 types of age can be recognized (see **SE-XING**):

Juvenile with tail feathers notched at tips with bare shafts projecting; greater coverts narrow and pointed, usually with dark spot at tip of inner vane; speculum only dull metallic green in male and without green tinge in female.

**2nd year spring** with worn **juvenile** flight feathers; some birds with **juvenile** body feathers and wing coverts retained.

Adult in spring with fresh wing coverts and flight feathers. In autumn with broad and rounded greater coverts, without a dark spot at tip of inner vane; speculum bright metallic green in male and dull grey brown with slight green metallic sheen in the innermost secondaries in female.





Garganey. Female. Non-breeding plumage. Ageing. Pattern of speculum: top adult; bottom juvenile.






Garganey. Ageing. Pattern of greater coverts: top adult; bottom juvenile.

#### **MOULT**


Complete **postbreeding** moult, acquiring eclipse plumage, usually finished by August. Partial **postjuvenile** moult confined to body, tail, a few tertials and some wing coverts; starts by September and finished in wintering quarters. Both types of age have a partial **prebreeding** moult acquiring breeding plumage.

#### **PHENOLOGY**




#### **STATUS IN ARAGON**

Only on passage; can be found in any of the wet areas throughout the Region




Garganey. Autumn. Adult. Male ()



**NO IMAGE** 


Garganey. Autumn. Adult. Head pattern: top male (); bottom female ().




Garganey. Autumn. Adult. Female ()



Garganey. Autumn. Juvenile. Head pattern: top male (28-VIII); bottom female ().





Garganey. Autumn. Juvenile. Female ()















Garganey.
Autumn.
Adult. Breast
pattern: top
male (); bottom female ().






Garganey. Autumn. Juvenile. Crown pattern: left male (28-VIII); right female ().






Garganey.
Autumn. Juvenile. Breast pattern: top male (28-VIII); bottom female ().








Garganey. Autumn. Juvenile. Tail pattern: left male (28-VIII); right female ().

Garganey. Autumn. Adult. Upperpart pattern: left male (); right female ().






NO IMAGE




**NO IMAGE** 

Garganey. Autumn. Adult. Pattern of undertail coverts: left male (); right female ().

Garganey. Autumn. Juvenile. Upperpart pattern: left male (28-VIII); right female ().






coverts: left male (28-VIII); right female ().

Garganey. Autumn. Adult. Tail pattern: left male (); right female ().


Garganey. Autumn. Juvenile. Pattern of undertail

**NO IMAGE** 


# 80 Garganey



Garganey. Autumn. Adult. Male: pattern of flank ()



Garganey. Autumn. Juvenile. Female: pattern of flank ()



Garganey. Autumn. Adult. Female: pattern of flank



Garganey. Autumn. Adult. Pattern of tertials: left male (); right female ().




Garganey. Autumn. Juvenile. Male: pattern of flank (28-VIII)




venile. Pattern of tertials: lef

**NO IMAGE** 


Garganey. Autumn. Juvenile. Pattern of tertials: left male (28-VIII); right female ().




Garganey. Autumn. Adult. Male: pattern of greater coverts ()



Garganey. Autumn. Adult. Male: pattern of primaries ()



Garganey. Autumn. Adult. Female: pattern of greater coverts ()




Garganey. Autumn. Adult. Female: pattern of primaries ()



Garganey. Autumn. Juvenile. Male: pattern of greater coverts (28-VIII)




Garganey. Autumn. Juvenile. Male: pattern of primaries (28-VIII)




Garganey. Autumn. Juvenile. Female: pattern of greater coverts ()

http://blascozumeta.com




Garganey. Autumn. Juvenile. Female: pattern of primaries ()



NO IMAGE

Garganey. Autumn. Adult. Male: pattern of secondaries ()

Garganey. Autumn. Juvenile. Female: pattern of secondaries ()



Garganey. Autumn. Adult. Female: pattern of secondaries ()





Garganey. Autumn. Adult. Male: pattern of wing ()



Garganey. Autumn. Juvenile. Male: pattern of secondaries (28-VIII)






Garganey. Autumn. Adult. Female: pattern of wing ()





Garganey. Autumn. Juvenile. Male: pattern of wing (28-VIII)



Garganey. Autumn. Juvenile. Female: pattern of wing ()