

Short-toed Eagle. Adult (14-VIII)

SHORT-TOED SNAKE EAGLE (Circaetus gallicus)

#### **IDENTIFICATION**

63-68 cm. Buff upperparts; tail with four transversal dark bands; dark throat and breast; white underparts buff streaked; bluish scaly legs; yellow iris.



Short-toed Eagle. Pattern of legs, breast and colour of iris.



#### SIMILAR SPECIES

This species is unmistakable.

#### **SEXING**

Plumage of both sexes alike

#### **AGEING**

4 age groups can be recognized:

Juvenile with fresh plumage, without moult limits; wing without grey subterminal band; secondaries with ill-defined bands; all bands of central tail feathers with similar width.

2nd year with all juvenile plumage in spring before moult; in autumn with two ages of feathers with brownish and worn juvenile feathers contrasting with darker and fresh moulted ones.

3rd year as long as they retain some unmoulted juvenile flight feathers; retained juvenile secondaries are paler and with bands ill-defined.

Adult with several generations of feathers, all with adult pattern; broad and contrasted bands on secondaries with broader subterminal band; bands of central tail feathers with different width, the last one wider (CAUTION: the number of tail bars varies individually).





Short-toed
Eagle.
Ageing. Pattern of central
tail feather:
left adult;
right juvenile.





Short-toed Eagle. Ageing. Pattern of upperside of inner primaries: left adult; right juvenile.





Short-toed Eagle. Ageing. Pattern of underside of inner primaries: left adult; right juvenile.



Short-toed Eagle. Ageing. Pattern of upperside of secondaries: left adult; right juvenile.





Short-toed Eagle. Ageing. Pattern of underside of secondaries: left adult; right juvenile.

#### **MOULT**

Incomplete **postbreeding** moult, between May and October, since all tail and flight feathers are not changed in one year. **Postjuvenile** moult starts in spring of **2nd year** retaining some unmoulted outer primaries and central secondaries.

### **PHENOLOGY**

Ι	II	III	IV	V	VI	VII	VIII	IX	X	XI	XII

### STATUS IN ARAGON


Summer visitor. Widely distributed throughout the region, absent in the most deforested areas.



Short-toed Eagle. 3th year (06-VIII).



Short-toed Eagle. 2nd year (14-VIII)



Short-toed Eagle. Juvenile ()



Eagle. Head pattern and colour: iris top adult (14-VIII); bottom 3rd year (06-VIII).

Short-toed






Short-toed Eagle. Breast pattern: left 2nd year (14-VIII); right juvenile ().











Short-toed Eagle. Upperparts pattern: left adult (14-VIII); right 3rd year (06-VIII).





Short-toed Eagle. Breast pattern: left adult (14-VIII); right 3rd year (06-VIII).





Short-toed Eagle. Upperparts pattern: left 2nd year (14-VIII); right juvenile ().



Short-toed Eagle. Adult: pattern of tail (14-VIII).



Short-toed Eagle. Juvenile: pattern of tail (08-IX).



Short-toed Eagle. 3rd year: pattern of tail (06-VIII).



Short-toed Eagle. Pattern if primary coverts: top adult (14-VIII); bottom 3rd year (06-VIII).



Short-toed Eagle. 2nd year: pattern of tail (1 juvenile feathers; 2 adult feathers) (14-VIII).



A PHOTO IS WELCOME

Short-toed Eagle. Pattern of primary coverts: top 2nd year (14-VIII); bottom juvenile ().





Short-toed Eagle. Adult: pattern of primaries (20-VIII).





Short-toed Eagle. 2nd year: pattern of primaries (1 juvenile feathers; 2 2nd year feathers) (14-VIII).





Short-toed Eagle. 3rd year: pattern of primaries (2 2nd year feathers; 3 3rd year feathers) (06-VIII).





Short-toed Eagle. Juvenile: pattern of primaries (08-IX).





Short-toed Eagle. Adult: pattern of secondaries (14-VIII).





Short-toed Eagle. 2nd year: pattern of secondaries (1 juvenile feathers; 2 2nd year feathers) (14-VIII).





Short-toed Eagle. 3rd year: pattern of secondaries (1 juvenile feathers; 2 2nd year feathers; 3 3rd year feathers) (06-VIII).





Short-toed Eagle. Juvenile: pattern of secondaries (08-IX).



Short-toed Eagle. Adult: pattern of wing (14-VIII).





Short-toed Eagle. Juvenile: pattern of wing (08-IX).





Short-toed Eagle. 3rd year: pattern of wing (1 juvenile feather; 2 2nd year feather; 3 3rd year feather) (06 -VIII).





Short-toed Eagle. 2nd year: pattern of wing (15-VIII).