Put your logo here



Moorhen. Spring. Adult. Male (22-V).

COMMON OORHEN (Gallinula chloropus)

IDENTIFICATION

25-31 cm. Adult with dark plumage, with slate brown upperparts; white undertail coverts white with black central pair; flank crossed with a white band; red and yellow bill; green legs, with a reddish band on tibia. Juvenile brown olive with white chin and throat; pale brown-greenish bill.

SIMILAR SPECIES

This species is unmistakable.

SEXING

Plumage of both sexes alike. Size can be an useful characteristic in extreme specimens: in **adult** birds, **male** with wing longer than 185 mm; **female** with wing shorter than 166 mm.

AGEING

3 age groups can be recognized:

Juvenile with grey brown underparts; whitish chin and throat; brown olive upperparts; grey brown iris; legs without red band on tibia; greenish-pale brown bill; 9th primary with narrow tip.

1st year autumn/2nd year spring with some white feathers on chin; sometines upperparts with retained juvenile brown feathers admixed with grey adult-type; reddish ir is of adult usally acquired since January; all specimens have juvenile flight feathers.

Adult with slate grey underparts; olive brown upperparts; legs with reddish band on tibia; without white feathers on chin; reddish iris; 9th primary with broad tip.





Moorhen. Juvenile: pattern of bill and undertail coverts.





Moorhen. Ageing. Pattern of bill: top adult; bottom juvenile.

Put your logo here

152 Common Moorhen



MOULT

Complete **postbreeding** moult, usually finished in November. Partial **postjuvenile** moult confined to body feathers retaining **juvenile** tail and flight feathers; some birds can change wing coverts and tertials; generally completed in September. Both age classes have a **prebreeding** moult confined only to body feathers.

PHENOLOGY



STATUS EN ARAGON

Resident, widely distributed throughout the Region in waterplaces with dense vegetation cover.



Moorhen. Adult. Female (27-V).



Moorhen. Spring. 2nd year. Male (17-II).



Moorhen. Ageing. Pattern of chin: top left adult; top right 2nd year; left juvenile.





Moorhen. Ageing. Pattern of underparts: left adult; right juvenile.

http://blascozumeta.com



Moorhen. Spring. 2nd year. Female (22-V).







Moorhen. Spring. Head pattern and bill and iris colour. From top to bottom: 2nd year male (17-II); 2nd year female (22-V); juvenile (23-VII); young (06-VII).



Moorhen. Spring. Juvenile (23-VII).







Moorhen. Spring. Adult. Breast pattern: top male (22-V); bottom female (27-V).





Moorhen. Spring. Adult. Head pattern and bill and iris colour: top male (22-V); bottom female (27-V).

Write your website here






Moorhen. Spring. Breast pattern: top left 2nd year male (17-II); top right 2nd year female (22 -V); left juvenile (23-VII).






Moorhen. Spring. Adult. Pattern of frontal shield: left male (22-V); right female (27-V).



Moorhen. Spring. Adult. Chin pattern: left male (22-V); right female (27-V).







Moorhen. Spring. Chin pattern: left 2nd year male (17-II); middle 2nd year female (22-V); right juve-nile (23-VII)



Moorhen. Spring. Pattern of frontal shield: top left 2nd year male (17-II); top right 2nd year female (22-V); left juvenile (23-VII).





Moorhen. Spring. Adult. Flank pattern: top male (22-V); bottom female (27-V).









Moorhen. Spring. Flank pattern: top 2nd year male (17-II); middle 2nd year female (22-V); bottom juvenile (23-VII)



Spring. Moorhen. Pattern of undertail coverts: top left 2nd year male (17-II); top right 2nd year female (22-V); left juvenile (23-VII).









Moorhen. Spring. Adult. Pattern of undertail coverts: left male (22-V); right female (27-V).



Moorhen. Spring. Tail pattern: top left 2nd year male (17-II); top right 2nd year female (22-V); left juvenile (23-VII).

Put your logo here



Moorhen. Spring. Adult. Tail pattern: left male (22-V); right female (27-V).





Moorhen. Spring. Adult. Underparts pattern: left male (22-V); right female (27-V).



Moorhen. Spring. Underparts pattern: top left 2nd year male (17-II); top right 2nd year female (22-V); left juvenile (23-VII).





Moorhen. Spring. Adult. Pattern of legs: top male (22 -V); bottom female (27-V).

Put your logo here





Moorhen. Spring. Pattern of legs: top 2nd year male (17-II); middle 2nd year female (22-V); bottom juvenile (23-VII)



Moorhen. Spring. 2nd year. Male: pattern of primaries and tip of 9th primary (17-II).





Moorhen. Spring. 2nd year. Female: pattern of primaries and tip of 9th primary (22-V).



Moorhen. Spring. Adult. Male: pattern of primaries and tip of 9th primary (22-V).



Moorhen. Spring. Adult. Female: pattern of primaries and tip of 9th primary (27-V).



Moorhen. Spring. Juvenile: pattern of primaries and tip of 9th primary (23-VII).



Moorhen. Spring. Adult. Male: pattern of secondaries (22-V).



Moorhen. Spring. 2nd year. Female: pattern of secondaries (22-V).



Moorhen. Spring. Adult. Female: pattern of secondaries (27-V).





Moorhen. Spring. 2nd year. Male: pattern of secondaries (17-II).

Moorhen. Spring. Juvenile: pattern of secondaries (23-VII).



Moorhen. Spring. Adult. Male: pattern of wing (22-V).



Moorhen. Spring. Adult. Female: pattern of wing (27-V).



Moorhen. Autumn. Adult. Male (26-XI).



Moorhen. Spring. 2nd year. Male: pattern of wing (17-II).



Moorhen. Spring. 2nd year. Female: pattern of wing (22-V).



Moorhen. Spring. Juvenile: pattern of wing (23-VII).



Moorhen. Autumn. Adult. Female (26-XII).



Moorhen. Autumn. 1st year. Male (26-XI).

Put your logo here



Moorhen. Autumn. 1st year. Female (26-XI).



Moorhen. Autumn. Adult. Breast pattern: left male (26-XI); right female (26-XII).





Moorhen. Autumn. Adult. Head pattern and iris and bill colour: top male (26-XI); bottom female (26-XII).




Moorhen. Autumn. 1st year. Breast pattern: left male (26-XI); right female (26-XI).







Moorhen. Autumn. 1st tear. Head pattern and iris and bill colour: top male (26-XI); bottom female (26-XI).



Moorhen. Autumn. Adult. Chin pattern: left male (26-XI); right female (26-XII).










Moorhen. Autumn. Adult. Pattern of frontal shield: left male (26-XI); right female (26-XII).



Moorhen. Autumn. 1st year. Pattern of frontal shield: left male (26-XI); right female (26-XI).





Moorhen. Autumn. Adult. Flank pattern: top male (26-XI); bottom female (26-XII).





Moorhen. Autumn. 1st tear. Flank pattern: top male (26-XI); bottom female (26-XI).



Moorhen. Autumn. Adult. Pattern of undertail coverts: left male (26-XI); right female (26-XII).



Moorhen. Autumn. 1st year. Pattern of undertail coverts: left male (26-XI); right female (26-XI).



Moorhen. Autumn. Adult. Tail pattern: left male (26-XI); right female (26-XII).



Moorhen. Autumn. Adult. Underparts pattern: left male (26-XI); right female (26-XII).



Moorhen. Autumn. 1st year. Tail pattern: left male (26-XI); right female (26-XI).



Moorhen. Autumn. 1st year. Underparts pattern: left male (26-XI); right female (26-XI).

Put your logo here





Moorhen. Autumn. Adult. Pattern of legs: top male (26 -XI); bottom female (26-XII).



Moorhen. Autumn. Adult. Female: pattern of primaries and tip of 9th primary (23-XI).



Moorhen. Autumn. 1st tear. Pattern of legs: top male (26-XI); bottom female (26-XI).



Moorhen. Autumn. 1st year. Male: pattern of primaries and tip of 9th primary (26-XI).



Moorhen. Autumn. Adult. Male: pattern of primaries and tip of 9th primary (26-XI).



Moorhen. Autumn. 1st year. Female: pattern of primaries and tip of 9th primary (26-XI).



Moorhen. Autumn. Adult. Male: pattern of secondaries (26-XI).



Moorhen. Autumn. Adult. Female: pattern of secondaries (26-XII).



Moorhen. Autumn. 1st year. Male: pattern of secondaries (26-XI).



Moorhen. Autumn. 1st year. female: pattern of se-condaries (26-XI).



Moorhen. Autumn. Adult. Male: pattern of secondaries (26-XI).



Moorhen. Autumn. Adult. Female: pattern of secondaries (26-XII).



Moorhen. Autumn. 1st year. Male: pattern of secondaries (26-XI).

Put your logo here



Moorhen. Autumn. 1st year. Female: pattern of secondaries (26-XI).