Put your logo here




Pallid Swift. Adult (01-VII).

PALLID SWIFT (Apus pallidus)

#### **IDENTIFICATION**

14-16 cm. Plumage brown-greyish; whitish throat; feathers on flanks with diffuse pale edges; secondaries lighter above than the rest of the wing; long and arched wings; forked tail.



### SIMILAR SPECIES

Very similar to **Common Swift**, with smaller pale patch on throat, flanks with only a little pale streaked, darker plumage and more forked tail.



Common Swift. Pattern of throat, tail and flank.



Swift

### SEXING

Plumage of both sexes alike.

### AGEING

4 age groups can be recognized:

**Juvenile** with feathers on body, wing and tail edged white; outermost tail feather with both webs rounded and curved. **CAUTION:** in late summer some birds have lost much of their white edging by wear.

**2nd year** similar to **adult**, but recognizable by retained **juvenile** flight feathers and wing coverts, which will be very worn; outermost tail feather more rounded than in **adults** but less than in **juveniles** (CAUTION: this characteristic is not always useful due to overlap).

**3rd year** only in birds which have retained **juvenile** 10th primay, which is very strongly worn and reduced to the shaft.

Adult with plumage without white edges; flight feathers and wing coverts less worn than in **2nd year**, if outer primaries retained, then brownish and worn contrasting with the neighbouring moulted feathers; outermost tail feather with both webs straight.



Pallid Swift. Ageing. Pattern of a wing covert: left adult (01-VII); right juvenile (01-VII).

Put your logo here



Pallid Swift. Ageing. Pattern of the outermost tail feather: left adult (01-VII); right juvenile (01-VII).



Pallid Swift. Juvenile (01-VII).

### MOULT

Complete **postbreeding** moult but some birds can retain 10th primary and, sometimes, two or three outermost primaries; usually started in wintering sites but some birds begin moulting in breeding areas. Partial **postjuvenile** moult involving body feathers, tail and only lesser wing coverts; always started in winter quarters.



### PHENOLOGY

Ι	II	III	IV	V	VI	VII	VIII	IX	Х	XI	XII

### STATUS IN ARAGON

Summer visitor, breeding only in the city of Zaragoza.



Pallid Swift. 2nd year (01-VII).



Pallid Swift. Head pattern: top adult (01-VII); middle 2nd year (01 -VII); bottom juvenile (01-VII)



Put your logo here





Pallid Swift. Crown pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)







Pallid Swift. Breast pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)











Pallid Swift. Throat pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)



Pallid Swift. Upperpart pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)

Put your logo here





Pallid Swift. Flank pattern: top adult (01-VII); middle 2nd year (01-VII); bottom juvenile (01-VII)



Pallid Swift. Juvenile: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult with complete moult: pattern of primary coverts (01-VII)



Pallid Swift. 2nd year: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult with retained feathers: pattern of primary coverts (01-VII)

http://blascozumeta.com

Put your logo here



Pallid Swift. 2nd year: pattern of primary coverts (01 -VII)



Pallid Swift. Juvenile: pattern of primary coverts (01 -VII)



Pallid Swift. Adult: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. 2nd year: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. Juvenile: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. Adult with complete moult: pattern of primaries (01-VII)

Put your logo here



Pallid Swift. Adult with retained feathers: pattern of primaries (01-VII)



Pallid Swift. 2nd year: pattern of primaries (01-VII)



Pallid Swift. Juvenile: pattern of primaries (01-VII)



Pallid Swift. Adult with complete moult: pattern of wing (01-VII)





Pallid Swift. Adult with retained feathers: pattern of wing (01-VII)





Pallid Swift. 2nd year: pattern of wing (01-VII)



Pallid Swift. Juvenile: pattern of wing (01-VII)