



Pallid Swift. Adult (01-VII).

PALLID SWIFT (Apus pallidus)


IDENTIFICATION

14-16 cm. Plumage brown-greyish; whitish throat; feathers on flanks with diffuse pale edges; secondaries lighter above than the rest of the wing; long and arched wings; forked tail.



SIMILAR SPECIES

Very similar to **Common Swift**, with smaller pale patch on throat, flanks with only a little pale streaked, darker plumage and more forked tail.





Swift

SEXING

Plumage of both sexes alike.

AGEING

4 age groups can be recognized:

Juvenile with feathers on body, wing and tail edged white; outermost tail feather with both webs rounded and curved. **CAUTION:** in late summer some birds have lost much of their white edging by wear.

2nd year similar to adult, but recognizable by retained juvenile flight feathers and wing coverts, which will be very worn; outermost tail feather more rounded than in adults but less than in juveniles (CAUTION: this characteristic is not always useful due to overlap).

3rd year only in birds which have retained **juvenile** 10th primay, which is very strongly worn and reduced to the shaft.

Adult with plumage without white edges; flight feathers and wing coverts less worn than in **2nd year**; if outer primaries retained, then brownish and worn contrasting with the neighbouring moulted feathers; outermost tail feather with both webs straight.





1

Pallid Swift. Ageing. Pattern of a wing covert: left adult (01-VII); right juvenile (01-VII).

http://blascozumeta.com http://www.aranzadi.eus







Pallid Swift. Ageing. Pattern of the outermost tail feather: left adult (01-VII); right juvenile (01-VII).




Pallid Swift. Juvenile (01-VII).

MOULT

Complete **postbreeding** moult but some birds can retain 10th primary and, sometimes, two or three outermost primaries; usually started in wintering sites but some birds begin moulting in breeding areas. Partial **postjuvenile** moult involving body feathers, tail and only lesser wing coverts; always started in winter quarters.

PHENOLOGY



■ Summer visitor ■ Resident ■ Wintering ■ On passage





Pallid Swift. Head pattern: top adult (01-VII); middle 2nd year (01-VII); bottom juvenile (01-VII)



Pallid Swift. 2nd year (01-VII).

http://blascozumeta.com http://www.aranzadi.eus ²













Pallid Swift. Crown pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)



Pallid Swift. Breast pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)











Pallid Swift. Throat pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)




Pallid Swift. Upperpart pattern: top left adult (01-VII); top right 2nd year (01-VII); left juvenile (01-VII)







Pallid Swift.
Flank pattern: top
adult (01VII); middle
2nd year
(01-VII); b o t t o m
juvenile (01VII)





Pallid Swift. Juvenile: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult with complete moult: pattern of primary coverts (01-VII)



Pallid Swift. 2nd year: pattern of tail and the outermost feather (01-VII)



Pallid Swift. Adult with retained feathers: pattern of primary coverts (01-VII)





Pallid Swift. 2nd year: pattern of primary coverts (01-VII)



Pallid Swift. Juvenile: pattern of primary coverts (01-VII)



Pallid Swift. Adult: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. 2nd year: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. Juvenile: pattern of secondaries and wing coverts (01-VII)



Pallid Swift. Adult with complete moult: pattern of primaries (01-VII)

http://blascozumeta.com http://www.aranzadi.eus 5





Pallid Swift. Adult with retained feathers: pattern of primaries (01-VII)




Pallid Swift. 2nd year: pattern of primaries (01-VII)



Pallid Swift. Juvenile: pattern of primaries (01-VII)





Pallid Swift. Adult with complete moult: pattern of wing (01-VII)





Pallid Swift. Adult with retained feathers: pattern of wing (01-VII)





Pallid Swift. 2nd year: pattern of wing (01-VII)





Pallid Swift. Juvenile: pattern of wing (01-VII)

http://blascozumeta.com http://www.aranzadi.eus 6