
Put your logo here

279 Alpine Swift







IDENTIFICATION

21-22 cm. Brown-greyish upperparts; white underparts with a brown-grey band on upper breast.

SIMILAR SPECIES

This species is unmistakable.

SEXING

Plumage of both sexes alike.

AGEING

3 age groups can be recognized:

Juvenile with body feathers pale edged; median and greater wing coverts narrow with white edges; outermost tail feather with convex edges. 2nd year with juvenile flight feathers, which will be worn; wing coverts with fresh adult and worn juvenile feathers admixed; outermost tail feather with straight edges.

Adult with plumage without white edges due to wear; median and greater wing covers, when fresh, only with a white spot on tips; median and greater wing coverts broad with rounded or squared tips: outermost tail feather with concave edges.





Alpine Swift. Ageing. Pattern of a wing covert: left adult; right juvenile.





Alpine Swift. Ageing. Pattern of the outermost tail feather: left adult; right juvenile.

MOULT

Complete **postbreeding** moult, starting in July and finished in breeding areas or, in some birds, in wintering sites. Partial **postjuvenile** moult involving body feathers, tail and some wing coverts; takes place in wintering sites.

PHENOLOGY



STATUS IN ARAGON

Summer visitor. Breeds related with cliffs and rock faces of Pyrenees, Sistema Iberico and some places of the Ebro Valley.



Alpine Swift. 2nd year (10-VII).







Alpine Swift. Head pattern: top left adult (10-VII); top right 2nd year (10-VII); left juvenile (21-VIII)



Alpine Swift. Juvenile (21-VIII)









Alpine Swift. Head pattern: top adult (10-VII); middle 2nd year (10-VII); bottom juvenile (21-VIII)



Alpine Swift. Upperpart pattern: top left adult (10-VII); top right 2nd year (10-VII); left juvenile (21-VIII)



Write your website here



Alpine Swift. Adult: pattern of the outermost tail feather (10-VII)



Alpine Swift. 2nd year: pattern of the outermost tail feather (10-VII)



Alpine Swift. Juvenile: pattern of the outermost tail feather (21-VIII)



Alpine Swift. Adult: pattern of primary coverts (10-VII)



Alpine Swift. 2nd year: pattern of primary coverts (10-VII)



Alpine Swift. Juvenile: pattern of primary coverts (21-VIII)



Alpine Swift. Adult: pattern of primaries (10-VII)



Alpine Swift. 2nd year: pattern of primaries (10-VII)



Alpine Swift. Juvenile: pattern of primaries (21-VIII)



Alpine Swift. Adult: pattern of wing coverts and secondaries (10-VII)



Alpine Swift. 2nd year: pattern of wing coverts and secondaries (10-VII)



Alpine Swift. Juvenile: pattern of wing coverts and secondaries (21-VIII)



Alpine Swift. Adult: pattern of wing (10-VII).



Alpine Swift. 2nd year: pattern of wing (10-VII).



Alpine Swift. Juvenile: pattern of wing (21-VIII).