Put your logo here

319 White Wagtail

White Wagtail. Spring. Adult. Male (30-IV).

WHITE WAGTAIL (Motacilla alba)

IDENTIFICATION

16-19 cm. Plumage grey, white and black; long tail black and white. In **breeding** plumage, black crown and white forehead; black bib and breast. In **winter**, grey crown and white throat with a dark band only on breast.



White Wagtail. Pattern of head and upperparts.



SIMILAR SPECIES This species is unmistakable

SEXING/AGEING

In **Spring**, with **breeding** plumage, **adult male** with pure black and white colours on head; black on crown reaching nape; black throat almost always without white feathers admixed; wing coverts with a large white patch; with two ages of feathers on wing.

Adult female with black on crown but with smaller extension than **male**; sometimes with pale feathers admixed in black throat; wing coverts with a small white patch; with two ages of feathers on wing.

2nd year male very similar to **adult female** but with three ages of feathers on wing if some **juvenile** feathers have been retained; moulted wing coverts with a large white patch.

2nd year female usually with crown and nape grey, with little or no black; chin and throat black with white traces; with three ages of feathers on wing if some **juvenile** feathers have been retained; moulted wing coverts with a small white patch.

Juvenile with very fresh plumage; head largely dull greyish; grey-brown breast band; chin whitish tinged buff. **Juveniles** cannot be sexed using plumage pattern.

In **autumn**, **adult male** with a lot of pure white on forehead; crown and nape with an extensive black colour mixed with grey; wing coverts with a large white patch; with only one age of very fresh feathers on wing; flight feathers deep grey.

Adult female usually with grey forehead; crown and nape usually grey without black or with hidden black traces; white face more tinged cream-yellow than **male**; wing coverts with a small white patch; with only one age of fresh feathers on wing; flight feathers deep grey.

1st year male with crown and nape grey tinged black, sometimes with white on forehead; with two ages of feathers on wing; moult limit between moulted fresh greater coverts, with dark centre, and pale worn **juvenile** retained; if all greater coverts are unmoulted or all have been moulted, check then **juvenile** brownish flight feathers; moulted wing coverts with a large white patch.

1st year female with crown and nape olive grey; forehead greyish or whitish tinged olive; with two ages of feathers on wing; moult strategy similar to **1st year male**; moulted wing coverts with a small white patch; with **juvenile** brownish flight feathers.

Put your logo here



White Wagtail. Spring. Sexing. Pattern of crown: left male; right female.



White Wagtail. Ageing. Pattern of head and breast: left adult; right juvenile.



Complete **postbreeding** moult, usually finished in September. Partial **postjuvenile** moult including body feathers and lesser and median coverts; there are birds moulting none, some or all greater coverts; some birds extend their moult to tertials, tail feathers and some flight feathers; usually finished early October. Between February and April, both types of age have a **prebreeding** moult acquiring the breeding plumage, changing a variable number of median and inner greater coverts, tertials and tail feathers.




White Wagtail. Spring. Sexing. Pattern of nape: left male; right female.








White Wagtail. Autumn. Sexing. Pattern of crown: top left adult male; top right 1st year male; left female.



White Wagtail. Extent of postjuvenile moult.

PHENOLOGY



STATUS IN ARAGON

Resident. Widely distributed throughout the Region with contribution of wintering European birds.

Put your logo here



White Wagtail. Spring. Adult. Female (06-V).



White Wagtail. Spring. Juvenile (10-VIII).



White Wagtail. Spring. 2nd year. Male (23-IV).

White Wagtail. Spring. 2nd year. Female (23-V).





White Wagtail. Spring. Adult. Head pattern: top male (30-IV); bottom female (06-V).







Write your website here

White Wagtail. Spring. Head pattern: top 2nd year male (23-IV); middle 2nd year female (23-V); bottom juvenile (08-VIII)

Put your logo here



White Wagtail. Spring. Adult. Pattern of crown and forehead: left male (30-IV); right female (06-V).





White Wagtail. Spring. Adult. Nape pattern: left male (30-IV); right female (06-V).











White Wagtail. Spring. Nape pattern: top left 2nd year male (23-IV); top right 2nd year female (23-V); left juvenile (08-VIII)



White Wagtail. Spring. Pattern of crown and forehead: top left 2nd year male (23-IV); top right 2nd year female (23-V); left juvenile (08-VIII)





White Wagtail. Spring. Adult. Breast pattern: left male (30-IV); right female (06-V).

Put your logo here







White Wagtail. Spring. Breast pattern: top left 2nd year male (23-IV); top right 2nd year female (); left juvenile (08-VIII)







White Wagtail. Spring. Adult. Upperparts pattern: left male (30-IV); right female (06-V).



White Wagtail. Spring. Upperparts pattern: top left 2nd year male (23-IV); top right 2nd year female (23-V); left juvenile (08-VIII)



White Wagtail. Spring. Adult. Male: pattern of wing with two ages of feathers (1 postbreeding, 2 prebreeding) (30-IV).

Put your logo here



White Wagtail. Spring. Adult. Female: pattern of wing with two ages of feathers (1 postbreeding, 2 prebreeding) (06-V).



White Wagtail. Spring. Juvenile: pattern of wing (15 -III).



White Wagtail. Spring. 2nd year. Male: pattern of wing with three ages of feathers (1 juvenile, 2 postjuvenile, 3 prebreeding) (23-IV).



White Wagtail. Winter. Adult. Male (30-X).



White Wagtail. Spring. 2nd year. Female: pattern of wing with two ages of feathers (1 juvenile, 3 prebreeding) (23-V).



White Wagtail. Winter. Adult. Female (21-X).

Put your logo here



White Wagtail. Winter. 1st year. Male (30-X).





White Wagtail. Winter. 1st year. Head pattern: top male (30-X); botton female (21-X).



White Wagtail. Winter. 1st year. Female (21-X).



White Wagtail. Winter. Adult. Pattern of forehead and crown: left male (21-X); right female (21-X).





White Wagtail. Winter. Adult. Head pattern: top male (30-X); botton female (21-X).




White Wagtail. Winter. 1st year. Pattern of forehead and crown: left male (30-X); right female (21-X).

Put your logo here



White Wagtail. Winter. Adult. Nape pattern: left male (30-X); right female (21-X).



White Wagtail. Winter. 1st year. Nape pattern: left male (30-X); right female (21-X).



White Wagtail. Winter. Adult. Upperparts pattern: left male (30-X); right female (21-X).



White Wagtail. Winter. Adult. Pattern of breast and throat: left male (21-X); right female (21-X).





White Wagtail. Winter. 1st year. Pattern of breast and throat: left male (30-X); right female (21-X).



White Wagtail. Winter. 1st year. Upperparts pattern: left male (30-X); right female (21-X).

Put your logo here

319 White Wagtail

White Wagtail. Winter. Adult. Male: pattern of wing (21-X).



White Wagtail. Winter. Adult. Female: pattern of wing (21-X).



White Wagtail. Winter. 1st year. Male: pattern of wing (21-X).



White Wagtail. Winter. 1st year. Female: pattern of wing (21-X).

http://blascozumeta.com