Put your logo here



Garden Warbler. Spring (18-V).

### **GARDEN WARBLER** (Sylvia borin)

#### **IDENTIFICATION**

13-14 cm. Species with no obvious features, with plumage olive-brown on upperparts and paler on underparts.



Garden Warbler. Pattern of head and upperparts.



#### SIMILAR SPECIES Recalls a Reed Warbler which has bill with orange base and yellowish legs.



Reed Warbler

### SEXING

Plumage of both sexes alike.

### AGEING

2 age groups can be recognized:

Juvenile with fresh plumage; pointed tail feathers; iris dark grey.

Adult in autumn with worn plumage, mainly primaries, unmoulted greater coverts and tertials; rounded tail feathers; iris reddish.

In spring, after prebreeding moult, ageing is not possible using plumage pattern.




Garden Warbler. Autumn. Ageing. Pattern of tips of tail feathers: left adult; right juvenile.

Put your logo here



Garden Warbler. Autumn. Ageing. Colour of iris: top adult; bottom juvenile.



Garden Warbler. Extent of postjuvenile moult.

## PHENOLOGY

Ι	II	III	IV	V	VI	VII	VIII	IX	Х	XI	XII

### **STATUS IN ARAGON**

Summer visitor. Distributed throughout the mountainosus areas from the Region and near rivers in the Ebro Valley.





Garden Warbler. Autumn. Adult (31-VIII)



Garden Warbler. Autumn. Juvenile (13-VIII).

Garden Warbler. Autumn. Ageing. Wear of greater coverts: top adult; bottom juvenile.

### MOULT

Partial **postbreeding** and **postjuvenile** moults, from June to September, including body feathers and a few wing coverts; a few **adults** start moult of some flight and tail feathers in breeding áreas and generally arrest before autumn migration. Both age classes have a complete **prebreeding** moult in their wintering quarters.

Put your logo here







Garden Warbler. Head pattern and iris colour: top left in spring (02-V); top right adult in autumn (31-VIII); left juvenile (13-VIII).











Garden Warbler. Breast pattern: top left in spring (02-V); top right adult in autumn (31-VIII); left juvenile (13-VIII).



Garden Warbler. Pattern and wear of upperparts: top left in spring (18-V); top right adult in autumn (31-VIII); left juvenile (13-VIII).







Garden Warbler. Tail pattern: top left in spring (02-V); top right adult in autumn (31-VIII); left juvenile (13 -VIII).





Garden Warbler. Autumn. Legs pattern: left adult (22-V); right juvenile (22-VII).

Put your logo here



Garden Warbler. Spring: pattern of wing (02-V).



Garden Warbler. Autumn. Adult: pattern of wing (31-VIII).



Garden Warbler. Autumn. Juvenile: pattern of wing (13-VIII).