IDENTIFICATION KEY: ADULTS OF Sylvia AND Curruca WARBLERS.

2 - Head uniform grey: Garden Warbler (Sylvia bo-rin)

- Head with a black (male) or reddish-brown (female) cap: Eurasian Blackcap (*Sylvia atricapilla*)

3 - Tertials with orange edges 4

4 - Wing longer than 68 mm; 10th primary shorter than primary coverts; head of male/female with grey -brownish tinge: Common Whitethroat (*Curruca communis*)

- Wing shorther than 58 mm; 10th primary longer than primary coverts; male with blackish head; female with grey-brownish tinged head: Spectacled Warbler (*Curruca conspicillata*)

5 - With white throat 6


With reddish/grey throat 7

6 - Without red eye ring; male/female with dark head; wing longer than 72 mm: Western Orphean Warbler (*Curruca hortensis*)

- With red eye ring; with black (male) or grey (female) head; wing shorter than 67 mm: Sardinian Warbler (*Curruca melanocephala*)

7 - With greyisn upperparts; reddish throat spotted white; tail long: Dartford Warbler (*Curruca undata*)

- With brownish upperparts; plain reddish throat not spotted white; tail short: Subalpine Warbler (*Curruca iberiae*)





Garden Warbler: uniform grey head; outermost tail feather without a white patch.







Eurasian Blackcap: with black (male) or brown (female) cap; outermost tail feather without a white patch.









Common Whitethroat: outermost tail feather with a white patch; tertials with orange edges; 10th primary shorter than primary coverts; male (1)/female (2) with brown-grey tinged head.











Spectacled Warbler: outermost tail feather with a white patch; tertials with orange

edges; 10th primary longer than primary coverts; male (1) with blackish head; female (2) with brown-grey tinged head.







Western Orphean Warbler: outermost tail feather with a white patch; tertials with buffish edges; white throat;

without reddish eye ring; male/female with blackish head.







grey (female) head.



Sardinian Warbler: outermost tail feather with a white patch; tertials with buffish edges; white throat; with reddish eye ring; with black (male) or









Dartford Warbler: outermost tail feather with a white patch; tertials with buffish edges; grey upperparts; reddish throat spotted white; reddish eye ring; long tail.





Subalpine Warbler: outermost tail feather with a white patch; tertials with buffish edges; brown upperparts; plain reddish throat not spotted white; reddish eye ring; short tail.