



Bearded Reedling. Adult. Male (08-X).

BEARDED REEDLING (Panurus biarmicus)

IDENTIFICATION

16-17 cm. **Adult** with chesnut upperparts, dark in **juveniles**; underparts brown-pinkish; long tawny tail; ochre wings with dark and white patches; **male** with grey head and a long black "moustache".



B e a r d e d Reedling. Adult. Pattern of head: top male; bottom female.



SIMILAR SPECIES

This species is unmistakable.

SEXING

In adults, male with grey head; black moustache; black undertail coverts. Female with pale buff head; without black moustache; pale undertail coverts. In old juveniles, male with bright yellow bill; female with dull yellow bill.





B e a r d e d Reedling. Adult. Sexing. Pattern of head: top male; bottom female.





Bearded Reedling. Adult. Sexing. Pattern of undertail coverts: left male; right female.





Bearded



http://blascozumeta.com http://www.aranzadi.eus



AGEING

2 age groups can be recognized:

Juvenile with dark back; outer tail feathers largely black; 10th primary with rounded tip and longer than primary coverts; fresh plumage.

Adult without black on back or with only soft streaks in some **females**; outer tail feathers white; 10th primary with pointed tip and shorter than primary coverts; worn plumage in **spring**.

After **postbreeding/postjuvenile** moults ageing is not possible using plumage pattern.





Bearded Reedling. Ageing. Pattern of upperparts: left adult female; right juvenile.





Bearded Reedling. Ageing. Pattern of the outermost tail feathers: left adult; right juvenile.






Bearded Reedling. Ageing. Length of the 10th primary: top adult; bottom juvenile.

MOULT

Complete **postbreeding** and **postjuvenile** moults, usually finished in October.

PHENOLOGY





Bearded Reedling. Adult. Female (8-X).

http://blascozumeta.com http://www.aranzadi.eus 2





Bearded Reedling. Juvenile. Male (30-VI).



B e a r d e d Reedling. Juvenile. Head pattern and bill colour: top male (08-VII); bottom female (30 -VI).



Bearded Reedling. Juvenile. Female (08-VII).





Bearded Reedling. Adult. Head pattern and bill colour: top male (08-X); bottom female (08-X).







Bearded Reedling. Upperpart pattern: top left adult male (08 -X); top right adult female (08-X); left juvenile (08-VII).

3









Bearded Reedling. Pattern of tail undercoverts: top left adult male (08-X); top right adult female (08-X); left juvenile (08-VII).





Bearded Reedling. Tail pattern: left adult (08-X); right juvenile (08-VII)





Bearded Reedling. 10th primary length: left adult (08-VII); right juvenile (08-VII)



Bearded Reedling. Autumn: pattern of wing (08-X)



Bearded Reedling. Summer. Adult: : pattern of wing (08-VII)



Bearded Reedling. Summer. Juvenile: pattern of wing (08-VII).

http://www.aranzadi.eus