Put your logo here

393 Eurasian Blue Tit

Blue Tit. Adult. Male (06-I).

EURASIAN BLUE TIT (Cyanistes caeru-

IDENTIFICATION


11-12 cm. Crown, wings and tail blue; upperparts greenish; underparts yellow; white cheek; wings with one white band.

> Blue Tit. Pattern of head.





Blue Tit. Sexing. Pattern of blue band on neck: top male; bottom female.



This species is unmistakable.

SIMILAR SPECIES

SEXING

Male with wing coverts with deep blue edges. Female with wing coverts with grey bluish edges (CAUTION: intermediate specimens exist, mainly birds of 1st/2nd year, in which this characteristic is not always easy to see). In extreme birds, width and colour of the blue band on neck is an useful sexing characteristic: male with broad blue-black band on neck; female with narrow blue-grey band on neck. Juveniles cannot be sexed using plumage pattern.

Blue Tit. Sexing. Pattern of wing coverts: top male; bottom female.

Put your logo here

AGEING

3 age groups can be recognized:

Juvenile with fresh plumage; cheeks pale yellowish; crown dull bluish-grey; tail feathers with pointed tips.

1st year autumn/2nd year spring with moult limit between deep blue moulted greater coverts and dull blue-grey **juvenile** primary coverts retained; sometimes with contrast within tertials or between tertials and secondaries; usually with moult limit between moulted central pair of tail feathers, fresh, bluer and with rounded tips, which contrast with the rest of **juvenile** retained tail feathers, more worn, greyer and with pointed tips.

Adult with all wing and tail feathers with similar bluish edges, without moult limits; cheeks white; crown bluish; tail feathers with rounded tips.



Blue Tit. Ageing. Pattern of head: top adult; bottom juvenile.



Blue Tit. Ageing. Pattern of upperparts: left adult; right juvenile.



Blue Tit. Ageing. Moult limit on tail feathers: left adult; right 1st year.




Blue Tit. Ageing. Moult limit on wing coverts: top adult; bottom 1st year.

MOULT

Complete **postbreeding** moult, usually finished in September. Partial **postjuvenile** moult involving body feathers, lesser and median coverts, usually all greater coverts, some tertials and central pair of tail feathers; some birds extend their moult to some alula feathers, all tertials and from several pairs to all tail feathers; usually finished in October.

Put your logo here

393 Eurasian Blue Tit



Blue Tit. Extent of postjuvenile moult.

PHENOLOGY



STATUS IN ARAGON

Resident. Widely distributed throughout the Region, absent only from the deforested zones.



Blue Tit. 1st year. Female (06-XI).



Blue Tit. Adult. Female (06-I).



Blue Tit. Juvenile (18-VI).



Blue Tit. 1st year. Male (06-XI).



Blue Tit. Adult. Head pattern and width of neck band: topmale (06-I); bottom female (06-I).

Write your website here

Put your logo here





Blue Tit. Head pattern and width of neck band: top 1st year male (06-XI); middle 1st year female (06-XI); bottom juvenile (18-VI).







Blue Tit. Crown pattern: top left 1st year male (06-XI); top right 1st year female (06-XI); left juvenile (18-VI).





Blue Tit. Adult. Breast pattern: left male (06-I); right female (06-I).



Blue Tit. Adult. Crown pattern: left male (06-I); right female (06-I).







Blue Tit. Breast pattern: top left 1st year male (06-XI); top right 1st year female (06-XI); left juvenile (18-VI).

Write your website here

Put your logo here



Blue Tit. Adult. Upperpart pattern: left male (06-I); right female (06-I).









Blue Tit. Adult. Tail pattern: left male (06-I); right female (06-I).







Blue Tit. Tail pattern: top left 1st year male (06-XI); top right 1st year female (06-XI); left juvenile (18-VI).



Blue Tit. Upperpart pattern: top left 1st year male (06-XI); top right 1st year female (06-XI); left juvenile (18-VI).





Blue Tit. Adult. Pattern of wing coverts: topmale (06-I); bottom female (06-I).

http://blascozumeta.com

Put your logo here





Blue Tit. Pattern of wing coverts: top 1st year male (06-XI); middle 1st year female (06-XI); bottom juvenile (18-VI).



Blue Tit. 1st year. Male: pattern of wing (06-XI).





Blue Tit. 1st year. Female: pattern of wing (06-XI).



Blue Tit. Adult. Male: pattern of wing (06-I).



Blue Tit. Adult. Female: pattern of wing (06-I).



Blue Tit. Juvenile: pattern of wing (14-VI).