




Carrion Crow. Adult (20-X).

**CARRION CROW** (Corvus corone)

#### **IDENTIFICATION**

43-47 cm. Black plumage; squared tail; black bill and legs.







#### **SIMILAR SPECIES**

This species recalls that of **Raven**, which has a bigger size (51-63 cm) and edge of tail is wedge-shaped.



#### **SEXING**

Both sexes alike in plumage. Size can be helpful with extreme birds: **male** with wing longer than 335 mm; **female** with wing shorter than 300 mm.

#### **AGEING**


3 age classes can be recognized:

**Juvenile** with fresh plumage; black colour without bright; inside of upper mandible pinkish.

**1st year autumn/2nd year spring** with dull blackish-brown **juvenile** wing and tail feathers contrasting with moulted glossy black feathers; worn flight and tail feathers; inside of upper mandible with pinkish areas. **Adult** with fresh and glossy black plumage on wing and tail, without moult limits; inside of upper mandible totally dark.

#### **MOULT**


Complete **postbreeding** moult, usually finished in October. Partial **postjuvenile** moult involving body feathers, all lesser and median coverts, usually some inner greater coverts (sometimes from none to all) and often central pair of tail feathers; some birds extend their moult to some tertials; finished in October.



C a r r i o n Crow. Extent of postjuveni le moult.

1

#### **PHENOLOGY**



http://blascozumeta.com http://www.aranzadi.eus





Carrion Crow. 2nd year (30-III)





Carrion Crow. Inside of upper mandible: left adult (22-V); right 2nd year (18-II)



Carrion Crow. Juvenile (18-VI)





Carrion Crow. Inside of upper mandible: left juvenile (18-VI); right young (12-VI).



Carrion Crow. Iris colour: top adult (20-X); bottom 2nd year (30-III).







Carrion Crow. Iris colour: top juvenile (18-VI); b o t t o m young (12-VI).



Carrion Crow. Breast pattern: top left adult (31-III); top right 2° year (30-III); left juvenile (18-VI).



http://blascozumeta.com http://www.aranzadi.eus <sup>2</sup>









Carrion Crow. Adult: pattern of alula (20-X).



Carrion Crow. Upperpart pattern: top left adult (31-III); top right 2nd year (30-III); left juvenile (18-VI).



Carrion Crow. 2nd year: pattern of alula (30-III).







Carrion Crow. Juvenile: pattern of alula (18-VI).



Carrion Crow. Tail pattern: top left adult (31-III); top right 2nd year (30-III); left juvenile (18-VI).

http://blascozumeta.com http://www.aranzadi.eus 3





Carrion Crow. Adult: pattern of wing (20-X).



Carrion Crow. 2nd year: pattern of wing (30-III).



Carrion Crow. Juvenile: pattern of wing (18-VI).